

To  
The Municipal Commissioner,  
Palamaner Municipality.

**File No: 77(13-1)/SAC/COO(S)/GEN/2018, Dt: 21.03.2018**

Sir / Madam,

Sub: SAC- Implementation of Fecal Sludge and Septage Management in  
Palamaner Municipality-Reg

Ref: Lr.Roc.No.135/2017/F1, dt: 20.03.2018, of Municipal Commissioner,  
Palamaner Municipality.

@@@@@@@

Attention is invited to the subject and reference cited.

The Municipal Commissioner of Palamaner Municipality has informed that he was instructed to identify 1 acre of land in the compost yard for implementation of fecal sludge treatment plant under septage management policy and also informed the council resolution vide C.R.No:200, dt: 26.02.2018, that the Bore wells for Drinking water were existed in compost yard and the ground water is polluted if install the FSTP in the Compost Yard and to issue further instructions for taking necessary action.

In view of the above, it is to clarify that, setting up of Fecal Sludge Septage Management plant in that site will not effect the ground water.

Therefore, it is requested to identify appropriate place in the compost yard to set the FSTP.

Yours faithfully,  
**D MURALIDHAR REDDY, IAS**  
**MANAGING DIRECTOR**

Copy to the Director of Municipal Administration for information.